



T5-37X

VESSELS FOR TESTING INDUCTION HOTPLATES

COMPLIANCE

T5-37X VESSELS FOR TESTING INDUCTION HOTPLATES are designed and manufactured for testing induction hotplates in compliance with IEC 60335-2-6 figure 102.

http://domino.iec.ch/preview/info_iec60335-2-6{ed5.1}b.pdf

DESCRIPTION

T5-37X VESSELS FOR TESTING INDUCTION HOTPLATES are made of low carbon steel, are cylindrical shape without handles or protrusions. Our standard diameters are 110, 145, 180, 220, 210, 270 and 300 mm. Other dimensions are also available on special request. Concavity of the base of the vessel is not more that 0,006 times of its diameter. The base of the vessel is not convex. Base and wall thickness is $2 \pm 0,5$ mm. Each vessel is engraved with catalogue number and serial number that enable its certification and traceability.

CAT. NO.	ITEM	VESSEL HEIGHT	VESSEL VOLUME
T5-370	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 110	138	1,2 l
T5-371	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 145	130	2 l
T5-372	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 180	125	3 l
T5-373	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 220	111	4 l
T5-374	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 300	89	6 l
T5-375	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 210	122	4 l
T5-376	VESSEL FOR TESTING INDUCTION HOTPLATES DIA. 270	110	6 l

Vessels can be also delivered with lids for holding thermocouples. Lids are made of anodized aluminum, each matching to the vessel diameter and are equipped with handle. Lids are not included in the price.

CALIBRATION CERTIFICATES

Certificate for dimensions, are available on request, but are not included in the price.

OTHER CONDITIONS

Warranty: 2 years

Support by E-mail: support@testing.si

On line Skype Support: Testing_support, matejsimonic

We will be glad to help you solve your problems and to hear any feedback from you.